


COMPONENTS PARTS



Weather Strips, Brush Seals

To ensure against water ingress under the door a tapered floor or threshold is essential. Bottom rubber weather strips are only an assistance to preventing water ingress and are provided at extra cost. Brush strips are available as an option for the bottom, top and sides to give additional seal if required.



Canopy covers and fascias can be supplied to cover the coiled shutter and motor



Plastic Endlocks



Steel Endlocks



Lath

Galvanised - 22swg or 20swg
Perforated galvanized - 22swg
Plastisol 22swg - standard stock colours



Galvanised Guide

Available in,
2.5" (63mm)
3" (75mm)
4" (100mm)

**All lath and galvanised guide manufactured in house at P and K Shutter Services Ltd **



Galvanised Wind Guide

Available in,
2.5" (63mm)
4" (100mm)



Wind Locks

Galvanised wind locks are used
In conjunction with wind guides

COMPONENTS PARTS



Slim-line lock



Bullet Locks & Housing

- Sold in Pairs
- Each Bullet Comes Complete with Two Keys.



Mild Steel End Plates

- Various Sizes Available.



End Plate Assembly

Consisting of a stub shaft, chain guide and cup.



Cup



Tube
4" Tube, 16swg.
Stocked in 8 metre lengths



L rail
Stocked in 8 metre lengths



Spring blocks




Built up dummy end
To suit 4" barrels and 5" barrels



T rail
Stocked in 8 Metre lengths

COMPONENTS PARTS



Galvanised Angle.

Available in,

- 50mm x 50mm (3mm thick)
- 75mm x 50mm (3mm thick)

Stocked in 8 metre lengths.



Standard Key Switch.



Remote Control with 2 handsets



Rocker Switch.

**Manual over-ride in the form of a crank handle can also be purchased separately **

